

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4242	(credit with card with data) and (real with time feed)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 05:51
L2	33	(credit with card with data) and (real with time feed) and 707/1.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 05:51
L3	8	(credit with card with data) and (real with time feed) and 707/1.ccls. and (import\$3 with data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 05:52
L4	4	(credit with card with data) and (real with time feed) and 707/1.ccls. and (import\$3 with data) and (tax or tariff)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 05:53
L5	2	(credit with card with data) and (real with time feed) and 707/1.ccls. and (load\$3 with data) and (tax or tariff)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 05:54
S1	2	("6748447").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/06 14:42
S2	2	("20050240601").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/12 10:40

EAST Search History

S3	5708	(process\$3 with transaction with data) and (credit with card)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 14:51
S4	46	707/100.ccls. and (process\$3 with transaction with data) and (credit with card)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 14:51
S5	12	707/100.ccls. and (process\$3 with transaction with data) and (credit with card) and (pars\$3 with data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 14:53
S6	9	707/100.ccls. and (process\$3 with transaction with data) and (credit with card) and (pars\$3 with data) and sort\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 14:53
S7	6	707/100.ccls. and (process\$3 with transaction with data) and (credit with card) and (pars\$3 with data) and sort\$3 and (insert\$3 with table)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 14:58
S8	1	707/100.ccls. and (process\$3 with transaction with data) and (credit with card) and (pars\$3 with data) and sort\$3 and (insert\$3 with table) and (disparate with source)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 14:59
S9	1	707/100.ccls. and (process\$3 with transaction with data) and ((credit or debit) with card) and (pars\$3 with data) and sort\$3 and (insert\$3 with table) and (disparate with source)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 14:59

EAST Search History

S10	6	707/100.ccls. and (process\$3 with transaction with data) and ((credit or debit) with card) and (pars\$3 with data) and sort\$3 and (insert\$3 with table)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 15:02
S11	1	707/100.ccls. and (process\$3 with transaction with data) and ((credit or debit) with card) and (pars\$3 with data) and sort\$3 and (insert\$3 with table) and (expense with report\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 15:03
S12	1	707/100.ccls. and (process\$3 with transaction with data) and ((credit or debit) with card) and (pars\$3) and sort\$3 and (insert\$3 with table) and (expense with report\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 15:11
S13	8	707/100.ccls. and (process\$3 with transaction with data) and ((credit or debit) with card) and (pars\$3) and sort\$3 and (insert\$3 with table)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 15:32
S14	2	S2 and (temporary with table)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 15:26
S15	4	707/100.ccls. and (process\$3 with transaction with data) and (pars\$3) and sort\$3 and (insert\$3 with table) and (temporary with table\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 16:17
S16	4	707/100.ccls. and (process\$3 with transaction with data) and (pars\$3) and sort\$3 and (insert\$3 with table) and (temporary with (table\$1 or array))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 16:20

EAST Search History

S17	2	707/100.ccls. and (process\$3 with transaction with data) and (pars\$3) and sort\$3 and (insert\$3 with table) and (intermediate with (table\$1 or array))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 16:25
S18	286	(transaction with data with feed)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 16:26
S19	7	(transaction with data with feed) and (insert\$3 with data with (database or (data adj base) or repositor\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 16:27
S20	1	(transaction with data with feed) and (insert\$3 with data with (database or (data adj base) or repositor\$3)) and (pars\$3 with field)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 16:28
S21	6	(transaction with data with feed) and (insert\$3 with data with (database or (data adj base) or repositor\$3)) and (pars\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 16:29
S22	1	(transaction with data with feed) and (insert\$3 with data with (database or (data adj base) or repositor\$3)) and (pars\$3) and ((temporary or intermediate) with fields)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 16:29
S23	1	(transaction with data with feed) and (insert\$3 with data with (database or (data adj base) or repositor\$3)) and (pars\$3) and ((temporary or intermediate) with table)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 16:30

EAST Search History

S24	100	(transaction) and (insert\$3 with data with (database or (data adj base) or repositor\$3)) and (pars\$3) and ((temporary or intermediate) with table)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 16:30
S25	23	(transaction) and (insert\$3 with data with (database or (data adj base) or repositor\$3)) and (pars\$3 with fields) and ((temporary or intermediate) with table)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 16:30
S26	23	(transaction) and (insert\$3 with data with (database or (data adj base) or repositor\$3)) and (pars\$3 with field) and ((temporary or intermediate) with table)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 16:50
S27	2	(transaction) and (insert\$3 with data with (database or (data adj base) or repositor\$3)) and (pars\$3 with field) and ((temporary or intermediate) with table) and (credit with card)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 16:32
S28	21	(transaction) and (insert\$3 with data with (database or (data adj base) or repositor\$3)) and (pars\$3 with field) and ((temporary or intermediate) with table) and sort\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 16:33
S29	14	(transaction) and (insert\$3 with data with (database or (data adj base) or repositor\$3)) and (pars\$3 with field) and ((temporary or intermediate) with table) and (generic with parser\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 16:51
S30	19	(format\$4 with ((transaction\$2 with data) or (amount with data))) same (insert\$4 with (database or (data adj base) or repository))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/12 10:43

EAST Search History

S31	14	(format\$4 with ((transaction\$2 with data) or (amount with data))) same (insert\$4 with (database or (data adj base) or repository)) and transaction\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/12 10:43
S32	5	(format\$4 with ((transaction\$2 with data) or (amount with data))) same (insert\$4 with (database or (data adj base) or repository)) and transaction\$1 and pars\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/12 10:47
S33	3	(format\$4 with ((transaction\$2 with data) or (amount with data))) same (insert\$4 with (database or (data adj base) or repository)) and transaction\$1 and pars\$3 and relational	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/12 10:51
S34	3	(format\$4 with ((transaction\$2 with data) or (amount with data))) same (insert\$4 with (database or (data adj base) or repository)) and transaction\$1 and pars\$3 and relation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 10:51
S35	3	((format\$4 with ((transaction\$2 with data) or (amount with data))) same (insert\$4 with (database or (data adj base) or repository))) and transaction\$1 and pars\$3 and relation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 10:52
S36	92	((format\$4 with ((transaction\$2 with data) or (amount with data))) and (insert\$4 with (database or (data adj base) or repository))) and transaction\$1 and pars\$3 and relation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 10:52
S37	122	((format\$4 with ((transaction\$2 with data) or (amount with data))) and (insert\$4 with (database or (data adj base) or repository))) and transaction\$1 and pars\$3 and (relational with (database or (data adj base) or repository))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 12:07

EAST Search History

S38	5	((format\$4 with ((transaction\$2 with data) or (amount with data))) and (insert\$4 with (database or (data adj base) or repository))) and transaction\$1 and (generic with pars\$3) and (relational with (database or (data adj base) or repository)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 10:57
S39	1	((format\$4 with ((transaction\$2 with data) or (amount with data))) and (insert\$4 with (database or (data adj base) or repository))) and transaction\$1 and (different with format with pars\$3) and (relational with (database or (data adj base) or repository)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 10:59
S40	14360	(transaction\$2 with data) and ((credit or debit) with card)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 11:00
S41	5277	(transaction\$2 with data) same ((credit or debit) with card)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 11:01
S42	4109	((transaction\$2 with data) same ((credit or debit) with card)) and (process\$3 with data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 11:02
S43	1735	((transaction\$2 with data) same ((credit or debit) with card)) and (process\$3 with data) and (format\$3 with data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 11:03
S44	426	((transaction\$2 with data) same ((credit or debit) with card)) and (process\$3 with data) and (format\$3 with data) and (relational with (database or (data adj base) or repository)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 11:09

EAST Search History

S45	51	((transaction\$2 with data) same ((credit or debit) with card)) and (process\$3 with data) and (format\$3 with data) and (relational with (database or (data adj base) or repository)) and (corporate with card)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 11:08
S46	20	((transaction\$2 with data) same ((credit or debit) with card)) and (process\$3 with data) and (format\$3 with data) and (relational with (database or (data adj base) or repository)) and (corporate with card) and (control\$4 with usage)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 11:07
S47	11	((transaction\$2 with data) same ((credit or debit) with card)) and (process\$3 with data) and (format\$3 with data) and (relational with (database or (data adj base) or repository)) and (expense with (claim\$1 or management))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 11:11
S48	24	((transaction\$2 with data) same ((credit or debit) with card)) and (process\$3 with data) and (format\$3 with data) and (relational with (database or (data adj base) or repository)) and ((expense or expenditure) with (claim\$1 or management))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 11:16
S49	25	((transaction\$2 with data) same ((credit or debtor corporate) with card)) and (process\$3 with data) and (format\$3 with data) and (relational with (database or (data adj base) or repository)) and ((expense or expenditure) with (claim\$1 or management))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 11:17
S50	25	((transaction\$2 with data) same ((credit or debit or corporate) with card)) and (format\$3 with data) and (relational with (database or (data adj base) or repository)) and ((expense or expenditure) with (claim\$1 or management))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 11:18
S51	37	((transaction\$2 with data) same ((credit or debit or corporate) with card)) and (format\$3 with data) and (relational with (database or (data adj base) or repository)) and ((expense or expenditure) with (claim\$1 or management or report))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 11:19

EAST Search History

S52	37	((transaction\$2 with data) same ((credit or debit or corporate or purchasing) with card)) and (format\$3 with data) and (relational with (database or (data adj base) or repository)) and ((expense or expenditure) with (claim\$1 or management or report))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 11:41
S53	38	((transaction\$2 with data) same ((credit or debit or corporate or purchasing or commercial) with card)) and (format\$3 with data) and (relational with (database or (data adj base) or repository)) and ((expense or expenditure) with (claim\$1 or management or report))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 11:44
S54	204	((transaction\$2 with data) same ((credit or debit or corporate or purchasing or commercial) with card)) and (format\$3 with data) and (relational with (database or (data adj base) or repository)) and ((expense or expenditure))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 11:53
S55	17243	((receiv\$3 or provid\$3) with transaction with data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 11:55
S56	105	((receiv\$3 or provid\$3) with transaction with data) and (parser with file)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 11:55
S57	392	((receiv\$3 or provid\$3) with transaction with data) and (pars\$3 with file)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 11:59
S58	10	(receiv\$3 with provider with transaction with data) and (pars\$3 with file)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 12:01

EAST Search History

S59	108	(receiv\$3 with transaction with data) and (pars\$3 with file) and (relational with (database or (data adj base) or repository))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 12:02
S60	1	((receiv\$3 with transaction with data) same (different with (level or format))) and (pars\$3 with file) and (relational with (database or (data adj base) or repository))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 12:03
S61	31	((receiv\$3 with transaction with data) and (pars\$3 with file) and (relational with (database or (data adj base) or repository)) and (map\$4 with data with (database or (data adj base) or repository))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 12:04
S62	1061	(import\$6 with transaction with data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 12:08
S63	26	(import\$6 with transaction with data) and (file with parser)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 12:08
S64	10	(import\$6 with transaction with data) and (file with parser) and (data with provider)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 12:10
S65	252	(import\$6 with transaction with data) and (data with provider)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 12:10

EAST Search History

S66	73	(import\$6 with transaction with data) and (data with provider) and (map\$4 with (database or (data adj base) or repository))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 12:11
S67	39	(import\$6 with transaction with data) and (data with provider) and (map\$4 with (database or (data adj base) or repository)) and (relational with (database or (data adj base) or repository))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 12:37
S68	0	(import\$6 with transaction with data) and (data with provider) and (map\$4 with (database or (data adj base) or repository)) and (relational with (database or (data adj base) or repository)) and (SQL with processor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 12:39
S69	27	(import\$6 with transaction with data) and (data with provider) and (map\$4 with (database or (data adj base) or repository)) and (relational with (database or (data adj base) or repository)) and ((temporary or intermediate) with (table or database or repository or (data adj base)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 12:47
S70	3	(import\$6 with transaction with data) and (data with provider) and (map\$4 with (database or (data adj base) or repository)) and (relational with (database or (data adj base) or repository)) and ((temporary or intermediate) with (table))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 12:49
S71	3	(import\$6 with transaction with data) and (data with provider) and (map\$4 with (database or (data adj base) or repository)) and (relational with (database or (data adj base) or repository)) and ((temporary or intermediate) with (table)) and (sort\$3 with data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 13:01
S72	87	(oracle) and (sql with loader)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 13:01

EAST Search History

S73	64	(oracle) and (sql with loader) and (transaction)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 13:01
S74	6	(oracle) and (sql with loader) and (transaction) and (temporary with table)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 13:02
S75	24	(oracle) and (sql with loader) and (transaction) and ((temporary or intermediate) with table)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 13:07
S76	2	(oracle) and (sql with loader) and (transaction) and ((temporary or intermediate) with table) and (lock\$3 with table)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 13:02
S77	8	(oracle) and (sql with loader) and (transaction) and ((temporary or intermediate) with table) and (map\$4 with (database or (data adj base) or repository))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 13:08
S78	8	(oracle) and (sql with loader) and (transaction) and ((temporary or intermediate) with table) and (map\$4 with (database or (data adj base) or repository)) and (relational with (database or (data adj base) or repository))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 13:10
S79	5	(oracle) and (sql with loader) and (transaction) and ((temporary or intermediate) with table) and (map\$4 with (database or (data adj base) or repository)) and (relational with (database or (data adj base) or repository)) and pars\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 13:40

EAST Search History

S80	0	(oracle) and (sql with loader) and (transaction) and ((temporary or intermediate) with table with (field\$1 or attribute\$1)) and (map\$4 with (database or (data adj base) or repository)) and (relational with (database or (data adj base) or repository)) and pars\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 13:12
S81	134	(sql with loader)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 13:41
S82	2	(sql with loader) with sort\$3 with data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 13:43
S83	19	(map\$4 with transactional with data with (database or (dat aadj base) or repository))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 13:44
S84	19	(map\$4 with transactional with data with (database or (data adj base) or repository))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 13:45
S85	3	(map\$4 with transactional with data with (database or (data adj base) or repository)) and (temporary with table\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 13:45
S86	66753	(transaction with data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 11:28

EAST Search History

S87	14290	(transaction with data) and ((corporate or credit or debit) with card)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 11:30
S88	0	(process\$3transaction with data) and ((corporate or credit or debit) with card)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 11:30
S89	5824	(process\$3 with transaction with data) and ((corporate or credit or debit) with card)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 11:31
S90	52	(process\$3 with transaction with data) and ((corporate or credit or debit) with card) and (disparate with format\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 11:31
S91	28	(process\$3 with transaction with data) and ((corporate or credit or debit) with card) and (disparate with format\$4) and (map\$4 with (database or (data adj base) or table or repository))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 11:32
S92	7	(process\$3 with transaction with data) and ((corporate or credit or debit) with card) and (disparate with format\$4) and (map\$4 with (database or (data adj base) or table or repository)) and (pars\$3 with (field or attribute) with (transaction or data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 11:35
S93	25	(process\$3 with transaction with data) and ((corporate or credit or debit) with card) and (disparate with format\$4) and (map\$4 with (database or (data adj base) or table or repository)) and (pars\$3 with (transaction or data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 11:37

EAST Search History

S94	38	(process\$3 with transaction with data) and (disparate with format\$4) and (map\$4 with (database or (data adj base) or table or repository)) and (pars\$3 with (transaction or data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 11:38
S95	12	(process\$3 with transaction with data) and (disparate with format\$4) and (map\$4 with (database or (data adj base) or table or repository)) and (pars\$3 with (field\$1 or attribute\$1) with (transaction or data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 11:41
S96	28	(process\$3 with data) and (disparate with format\$4) and (map\$4 with (database or (data adj base) or table or repository)) and (pars\$3 with (field\$1 or attribute\$1) with (transaction or data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 14:21
S97	2	(process\$3 with data) and (disparate with format\$4) and (map\$4 with (database or (data adj base) or table or repository)) and (pars\$3 with (field\$1 or attribute\$1) with (transaction or data)) and lock\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 11:57
S98	4	"6668254"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 11:57
S99	1	("6668254").URPN.	USPAT	OR	OFF	2006/10/13 11:57
S100	9	(import\$3 with data) and ((pars\$3 with (attribute or field)) same ((temporary or intermediate) with table))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 14:23
S101	6	(import\$3 with data) and ((pars\$3 with (attribute or field)) same ((temporary or intermediate) with table)) and (load\$3 with (database or (data adj base) or repository))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 14:24

EAST Search History

S10 2	6	(import\$3 with data) and ((pars\$3 with (attribute or field)) same ((temporary or intermediate) with table)) and (load\$3 with (database or (data adj base) or repository)) and relation\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 14:24
S10 3	7	(import\$3 with data) and ((pars\$3 with (attribute or field)) same ((temporary or intermediate) with table)) and ((load\$3 or map\$4) with (database or (data adj base) or repository)) and relation\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/14 13:12
S10 4	1	(import\$3 with data) and ((pars\$3 with (attribute or field)) same ((temporary or intermediate) with table)) and ((load\$3 or map\$4) with (database or (data adj base) or repository)) and relation\$3 and (lock\$3 with table\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 14:32
S10 5	1	(transaction\$3 with data) and ((pars\$3 with (attribute or field)) same ((temporary or intermediate) with table)) and ((load\$3 or map\$4) with (database or (data adj base) or repository)) and relation\$3 and (lock\$3 with table\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 14:32
S10 6	24283	(process\$3 with transaction\$2 with data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/14 13:13
S10 7	2210	(process\$3 with transaction\$2 with data) and ((import\$3 or receiv\$3) with data with source)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/14 13:13
S10 8	67	(process\$3 with transaction\$2 with data) and ((import\$3 or receiv\$3) with data with source) and (pars\$3 with data with (field or attribute))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/14 13:14

EAST Search History

S109	4	(process\$3 with transaction\$2 with data) and ((import\$3 or receiv\$3) with data with source) and (pars\$3 with data with (field or attribute)) and ((insert\$4 or load\$3 or map\$4) with data with (temporary or intermediate) with table)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/14 13:18
S110	8	(process\$3 with transaction\$2 with data) and ((import\$3 or receiv\$3) with data with source) and (pars\$3 with data with (field or attribute)) and ((insert\$4 or load\$3 or map\$4) with data with (temporary or intermediate))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/14 13:30
S111	18	((import\$3 or receiv\$3) with data with source) and (pars\$3 with data with (field or attribute)) and ((insert\$4 or load\$3 or map\$4) with data with (temporary or intermediate))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/14 13:31
S112	13	((import\$3 or receiv\$3) with data with source) and (pars\$3 with data with (field or attribute)) and ((insert\$4 or load\$3 or map\$4) with data with (temporary or intermediate) with (table or database or (data adj base) or repository))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/14 13:31
S113	13	((import\$3 or receiv\$3) with data with source) and (pars\$3 with data with (field or attribute)) and ((insert\$4 or load\$3 or map\$4) with data with (temporary or intermediate) with (table or database or (data adj base) or repository)) and ((insert\$4 or load\$3 or map\$4) with data with (table or database or (data adj base) or repository))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/14 13:35
S114	9	((import\$3 or receiv\$3) with data with source) and (pars\$3 with data with (field or attribute)) and ((insert\$4 or load\$3 or map\$4) with data with (temporary or intermediate) with (table or database or (data adj base) or repository)) and ((insert\$4 or load\$3 or map\$4) with data with (table or database or (data adj base) or repository)) and (temporary with table)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/14 13:37

EAST Search History

S11 5	9	((import\$3 or receiv\$3) with data with source) and (pars\$3 with data with (field or attribute)) and ((insert\$4 or load\$3 or map\$4 or sort\$3) with data with (temporary or intermediate) with (table or database or (data adj base) or repository)) and ((insert\$4 or load\$3 or map\$4) with data with (table or database or (data adj base) or repository)) and (temporary with table)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/14 13:38
S11 6	25	((import\$3 or receiv\$3) with data) and (pars\$3 with data with (field or attribute)) and ((insert\$4 or load\$3 or map\$4 or sort\$3) with data with (temporary or intermediate) with (table or database or (data adj base) or repository)) and ((insert\$4 or load\$3 or map\$4) with data with (table or database or (data adj base) or repository)) and (temporary with table)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/14 13:44
S11 7	19	((import\$3 or receiv\$3) with data) and (pars\$3 with data with (field or attribute)) and ((insert\$4 or load\$3 or map\$4 or sort\$3) with data with (temporary or intermediate) with (table or database or (data adj base) or repository)) and ((insert\$4 or load\$3 or map\$4) with data with (table or database or (data adj base) or repository)) and (temporary with table) and lock\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/14 14:42
S11 8	0	((import\$3 or receiv\$3) with data) and (pars\$3 with data with (field or attribute)) and ((insert\$4 or load\$3 or map\$4 or sort\$3) with data with (temporary or intermediate) with (table or database or (data adj base) or repository)) and ((insert\$4 or load\$3 or map\$4) with data with (table or database or (data adj base) or repository)) and ((temporary or intermediate) with table with lock\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/14 15:24
S11 9	2658	(pars\$3 with data with (field or attribute))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/14 15:26

EAST Search History

S12 0	11	((pars\$3 with data with (field or attribute)) same ((temporary or intermediate) with table))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/14 15:31
S12 1	8	((pars\$3 with data with (field or attribute)) same ((temporary or intermediate) with table)) and load\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/14 15:41
S12 2	12	((pars\$3 with data) same ((temporary or intermediate) with table)) and loader	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/14 15:42
S12 3	39	((pars\$3 with data) same ((temporary or intermediate or buffer or first or stag\$3) with table)) and loader	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/14 15:48
S12 4	9	((pars\$3 with data) same ((temporary or intermediate or buffer or first or stag\$3) with table)) and (loader with (database or repository or (dat aadj base)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/14 15:43
S12 5	9	((pars\$3 with data) same ((temporary or intermediate or buffer or first or stag\$3) with table)) and (loader with (database or repository or (data adj base)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/14 15:43
S12 6	16096	(load\$3 with data with (database or (dat aadj base) or repository))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/14 15:49

EAST Search History

S12 7	2156	(load\$3 with data with (database or (data adj base) or repository)) and (relational with (database or (dat aadj base) or repository))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/14 15:50
S12 8	2154	(load\$3 with data with (database or (data adj base) or repository)) and (relational with (database or (data adj base) or repository))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/14 15:50
S12 9	269	(load\$3 with data with (database or (data adj base) or repository)) and (relational with (database or (data adj base) or repository)) and parser	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/14 15:50
S13 0	11	(load\$3 with data with (database or (data adj base) or repository)) and (relational with (database or (data adj base) or repository)) and parser and ((temporary or stag\$3 or intermediate) adj table)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/14 15:53
S13 1	6	(load\$3 with data with (database or (data adj base) or repository)) and (relational with (database or (data adj base) or repository)) and ((parser or pars\$3) with (field or attribute)) and ((temporary or stag\$3 or intermediate) adj table)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/14 16:30
S13 2	3	((load\$3 or map\$4) with data with (database or (data adj base) or repository)) and (relational with (database or (data adj base) or repository)) and ((parser or pars\$3) with (field or attribute)) and ((temporary or stag\$3 or intermediate) adj table) and loader	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/14 16:30